

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/03/2020

Reviewed on 06/03/2020

## 1 Identification

- **Product identifier**

- **Trade name:** 50-3182RNCBK, 50-3182RNCBL, 50-3182RNCWH, 70-3815RNCBL

- **Article number:** Epoxy Resin Formulation

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

Epoxies, Etc.  
21 Starline Way  
Cranston, RI 02921  
USA

General Telephone: 401-946-5564

- **Information department:** Product safety department.

- **Emergency telephone number:** Domestic: 800-255-3924 International: +01-813-248-0585



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms** GHS07, GHS08

- **Signal word** Warning

- **Hazard-determining components of labeling:**

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq 700$ )

2,3-epoxypropyl o-tolyl ether

- **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing genetic defects.

- **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

(Contd. on page 2)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/03/2020

Reviewed on 06/03/2020

**Trade name: 50-3182RNCBK, 50-3182RNCBL, 50-3182RNCWH,  
70-3815RNCBL**

(Contd. of page 1)

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*IF exposed or concerned: Get medical advice/attention.*

*Specific treatment (see on this label).*

*Take off contaminated clothing and wash it before reuse.*

*If skin irritation or rash occurs: Get medical advice/attention.*

*If eye irritation persists: Get medical advice/attention.*

*Wash contaminated clothing before reuse.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** The exact percentage (concentration) of composition has been withheld as a trade secret.

· **Dangerous components:**

25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700)	10-25%
2210-79-9	2,3-epoxypropyl o-tolyl ether	2.5-10%

### 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

*Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.*

*In case of unconsciousness place patient stably in side position for transportation.*

· **After skin contact:**

*Immediately wash with water and soap and rinse thoroughly.*

*If skin irritation continues, consult a doctor.*

· **After eye contact:**

*Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.*

· **After swallowing:**

*Seek immediate medical advice.*

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/03/2020

Reviewed on 06/03/2020

**Trade name: 50-3182RNCBK, 50-3182RNCBL, 50-3182RNCWH,  
70-3815RNCBL**

(Contd. of page 2)

A person vomiting while lying on their back should be turned onto their side.  
DO NOT attempt to give anything by mouth to an unconscious person.

**· Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

## 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

Keep people at a distance and stay upwind.

· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

1344-28-1	aluminium oxide	15 mg/m <sup>3</sup>
25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	90 mg/m <sup>3</sup>
13463-67-7	titanium dioxide wetted form, non-particulate	30 mg/m <sup>3</sup>
1333-86-4	Carbon black wetted form, non-particulate	9 mg/m <sup>3</sup>

· **PAC-2:**

1344-28-1	aluminium oxide	170 mg/m <sup>3</sup>
25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	990 mg/m <sup>3</sup>
13463-67-7	titanium dioxide wetted form, non-particulate	330 mg/m <sup>3</sup>
1333-86-4	Carbon black wetted form, non-particulate	99 mg/m <sup>3</sup>

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/03/2020

Reviewed on 06/03/2020

**Trade name: 50-3182RNCBK, 50-3182RNCBL, 50-3182RNCWH,  
70-3815RNCBL**

(Contd. of page 3)

· PAC-3:		
1344-28-1	aluminium oxide	990 mg/m <sup>3</sup>
25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700)	5,900 mg/m <sup>3</sup>
13463-67-7	titanium dioxide wetted form, non-particulate	2,000 mg/m <sup>3</sup>
1333-86-4	Carbon black wetted form, non-particulate	590 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/03/2020

Reviewed on 06/03/2020

**Trade name: 50-3182RNCBK, 50-3182RNCBL, 50-3182RNCWH,  
70-3815RNCBL**

(Contd. of page 4)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Liquid
· <b>Color:</b>	According to product specification
· <b>Odor:</b>	Mild
· <b>Odor threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	>260 °C (>500 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

· **Vapor pressure:** Not determined.

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/03/2020

Reviewed on 06/03/2020

**Trade name: 50-3182RNCBK, 50-3182RNCBL, 50-3182RNCWH,  
70-3815RNCBL**

(Contd. of page 5)

<b>· Solvent content:</b>	
<b>Organic solvents:</b>	0.1 %
<b>VOC content:</b>	0.06 %
	0.6 g/l / 0.01 lb/gal
<b>· Solids content:</b>	
	98.3 %
<b>· Other information</b>	
	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.  
Avoid elevated temperatures.
- **Possibility of hazardous reactions**  
Reacts with amines.  
Reacts with catalysts, oxidizing agents and strong alkali.  
Hazardous polymerization may occur if mixed with amines in large masses.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Strong acids, strong bases, strong oxidizers, amines, and mercaptans.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Unknown hydrocarbons.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**64742-95-6 Solvent naphtha (petroleum), light arom.**

Oral	LD50	>6,800 mg/kg (rat)
Dermal	LD50	>3,400 mg/kg (rab)
Inhalative	LC50/4 h	>10.2 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

13463-67-7	titanium dioxide wetted form, non-particulate	2B
1333-86-4	Carbon black wetted form, non-particulate	2B

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/03/2020

Reviewed on 06/03/2020

**Trade name: 50-3182RNCBK, 50-3182RNCBL, 50-3182RNCWH,  
70-3815RNCBL**

(Contd. of page 6)

· **OSHA-Ca (Occupational Safety & Health Administration)**

*None of the ingredients is listed.*

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Behavior in environmental systems:**
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:**  
*Water hazard class 2 (Self-assessment): hazardous for water  
 Do not allow product to reach ground water, water course or sewage system.  
 Danger to drinking water if even small quantities leak into the ground.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Dispose of in accordance to all local, state, and/or national legislation.*

## 14 Transport information

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>   | <p style="margin: 0;"><i>Not Applicable</i></p> <p style="margin: 0;"><i>UN3082</i></p>  |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>ADR</b></li> </ul> | <p style="margin: 0;"><i>Not Applicable</i></p> <p style="margin: 0;"><i>3082 Environmentally hazardous substances, liquid, n.o.s. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700), 2,3-epoxypropyl o-tolyl ether)</i></p> |
| <ul style="list-style-type: none"> <li>· <b>IMDG</b></li> </ul>  | <p style="margin: 0;"><i>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700), 2,3-epoxypropyl o-tolyl ether), MARINE POLLUTANT</i></p>                                     |

(Contd. on page 8)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/03/2020

Reviewed on 06/03/2020

**Trade name: 50-3182RNCBK, 50-3182RNCBL, 50-3182RNCWH,  
70-3815RNCBL**

(Contd. of page 7)

· **IATA** *ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq$  700), 2,3-epoxypropyl o-tolyl ether)*

· **Transport hazard class(es)**

· **DOT**

· **Class**

*Not Applicable*

· **ADR, IMDG, IATA**



· **Class**

*9 Miscellaneous dangerous substances and articles*

· **Label**

*9*

· **Packing group**

· **DOT**

*Not Applicable*

· **ADR, IMDG, IATA**

*III*

· **Environmental hazards:**

· **Marine pollutant:**

*No*

*Symbol (fish and tree)*

· **Special marking (ADR):**

*Symbol (fish and tree)*

· **Special marking (IATA):**

*Symbol (fish and tree)*

· **Special precautions for user**

*Warning: Miscellaneous dangerous substances and articles*

· **Hazard identification number (Kemler code):**

*90*

· **EMS Number:**

*F-A,S-F*

· **Stowage Category**

*A*

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

*Not applicable.*

· **Transport/Additional information:**

· **DOT**

· **Remarks:**

*Not regulated.*

· **ADR**

· **Excepted quantities (EQ)**

*Code: E1*

*Maximum net quantity per inner packaging: 30 ml*

*Maximum net quantity per outer packaging: 1000 ml*

· **IMDG**

· **Limited quantities (LQ)**

*5L*

· **Excepted quantities (EQ)**

*Code: E1*

*Maximum net quantity per inner packaging: 30 ml*

*Maximum net quantity per outer packaging: 1000 ml*

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/03/2020

Reviewed on 06/03/2020

**Trade name: 50-3182RNCBK, 50-3182RNCBL, 50-3182RNCWH,  
70-3815RNCBL**

(Contd. of page 8)

· **UN "Model Regulation":** UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT  $\leq$  700), 2,3-EPOXYPROPYL O-TOLYL ETHER), 9, III

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
· **Sara**

· **Section 355 (extremely hazardous substances):**

25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700)
------------	---

· **Section 313 (Specific toxic chemical listings):**

1344-28-1	aluminium oxide
-----------	-----------------

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **California Proposition 65**

· **Chemicals known to cause cancer:**

13463-67-7	titanium dioxide wetted form, non-particulate
------------	---

1333-86-4	Carbon black wetted form, non-particulate
-----------	---

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **New Jersey Right-to-Know List:**

1344-28-1	aluminium oxide
-----------	-----------------

25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700)
------------	---

13463-67-7	titanium dioxide wetted form, non-particulate
------------	---

1333-86-4	Carbon black wetted form, non-particulate
-----------	---

· **Pennsylvania Right-to-Know List:**

1344-28-1	aluminium oxide
-----------	-----------------

25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700)
------------	---

13463-67-7	titanium dioxide wetted form, non-particulate
------------	---

1333-86-4	Carbon black wetted form, non-particulate
-----------	---

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/03/2020

Reviewed on 06/03/2020

**Trade name: 50-3182RNCBK, 50-3182RNCBL, 50-3182RNCWH,  
70-3815RNCBL**

(Contd. of page 9)

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

1344-28-1 aluminium oxide

13463-67-7 titanium dioxide wetted form, non-particulate

1333-86-4 Carbon black wetted form, non-particulate

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7 titanium dioxide wetted form, non-particulate

1333-86-4 Carbon black wetted form, non-particulate

· **Chinese Chemical Inventory of Existing Chemical Substances**

All ingredients are listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** GHS07, GHS08

· **Signal word** Warning

· **Hazard-determining components of labeling:**

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq 700$ )

2,3-epoxypropyl o-tolyl ether

· **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing genetic defects.

· **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

(Contd. on page 11)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/03/2020

Reviewed on 06/03/2020

**Trade name: 50-3182RNCBK, 50-3182RNCBL, 50-3182RNCWH,  
70-3815RNCBL**

(Contd. of page 10)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information given and the recommendations made herein apply to our product alone and are not combined with other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the user's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.*

- **Department issuing SDS:** Product safety department.
- **Contact:** Environmental Health & Safety (EHS) personnel
- **Date of preparation / last revision** 06/03/2020 / -

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2