

\*

# **WAKEFIELD**THERMAL

### Safety Data Sheet acc. to OSHA HCS


Page 1/10

# Reviewed on 09/04/2024 Printing date 09/04/2024 **Revision 8 1** Identification · Product identifier · Trade name: EC-1850FT Blue · Product number: Deltabond 153-NC · Application of the substance / the mixture Epoxy Potting Compound · Details of the supplier of the safety data sheet · Manufacturer/Supplier: EPOXYSET INC. 718 Park East Drive Woonsocket, RI 02895, USA Phone: (401) 726-4500 www.epoxyset.com · Information department: Product safety department: msds@epoxyset.com · Emergency telephone number: Chemtel (US transportation) 1-800-255-3924 International (call collect) +01-813-248-0585 2 Hazard(s) identification · Classification of the substance or mixture GHS08 Health hazard Germ Cell Mutagenicity 2 H341 Suspected of causing genetic defects. GHS07

Skin Irritation 2	H315 Causes skin irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.
Sensitization - Skin 1	H317 May cause an allergic skin reaction.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).





· Signal word Warning

#### · Hazard-determining components of labeling:

2,3-epoxypropyl o-tolyl ether

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight  $\leq$  700)

#### · Hazard statements

H315 Causes skin irritation.

(Contd. on page 2)

US

# Safety Data Sheet acc. to OSHA HCS

Printing date 09/04/2024

Revision 8

Reviewed on 09/04/2024

Trade name: EC-1850FT Blue

	(Contd. of page 1)
	erious eye irritation.
	e an allergic skin reaction.
H341 Suspected	d of causing genetic defects.
<ul> <li>Precautionary</li> </ul>	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P3	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
	to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
<ul> <li>Classification s</li> </ul>	system:
· NFPA ratings (	(scale 0 - 4)
	Lealth = 2
	irre = 1
	Reactivity = 0

#### · HMIS-ratings (scale 0 - 4)

HEALTH	2	Health = 2
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity $= 0$

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

# **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

2210-79-9 2,3-epoxypropyl o-tolyl ether	>60%
25068-38-6 reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	15-30%

(Contd. on page 3)

# Safety Data Sheet acc. to OSHA HCS

**Revision 8** 

Printing date 09/04/2024

Reviewed on 09/04/2024

Trade name: EC-1850FT Blue

(Contd. of page 2)

#### **4 First-aid measures**

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- $\cdot$  After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6 Accidental release measures**

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

#### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# · Protective Action Criteria for Chemicals

· PAC-1:		
1344-28-1	aluminium oxide	15 mg/m <sup>3</sup>
25068-38-6	reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weigh ≤ 700)	t 90 mg/m <sup>3</sup>
· PAC-2:		
1344-28-1	aluminium oxide	41 ppm
25068-38-6	reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	990 mg/m <sup>3</sup>
· PAC-3:		
1344-28-1	aluminium oxide 2	40 ppm
	(Co	ontd. on page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 09/04/2024

Revision 8

Reviewed on 09/04/2024

Trade name: EC-1850FT Blue

25068-38-6 reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular 5,900 mg/m<sup>3</sup> weight ≤ 700)

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store at temperatures not exceeding 10°C. Keep cool.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

(Contd. of page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 09/04/2024

Revision 8

Reviewed on 09/04/2024

Trade name: EC-1850FT Blue

• Eye protection: Safety glasses



Tightly sealed goggles

Physical and chemical proper		
Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Blue	
Odor:	Aromatic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	60 °C (140 °F)	
Flash point:	>180 °C (>356 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	2.3-2.5 g/cm3 (19.1935-20.8625 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	

(Contd. of page 5)

### Safety Data Sheet acc. to OSHA HCS

**Revision 8** 

Reviewed on 09/04/2024

Trade name: EC-1850FT Blue

Printing date 09/04/2024

• Other information

No further relevant information available.

# **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

(Contd. on page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 09/04/2024

Revision 8

Reviewed on 09/04/2024

Trade name: EC-1850FT Blue

(Contd. of page 6)

Toxic for aquatic organisms

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT	not regulated
IMDG, IATA	UN3082
UN proper shipping name	
DOT	not regulated
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S. (2,3-epoxypropyl o-tolyl ether, reaction product: bisphenol- (epichlorhydrin); epoxy resin (number average molecular weight 700)), MARINE POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S. (2,3-epoxypropyl o-tolyl ether, reaction product: bisphenol-
	(epichlorhydrin); epoxy resin (number average molecular weight 700))
Transport hazard class(es)	
рот	
Class	not regulated
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles
Label	9
Packing group	
DOT	not regulated
IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Marine ponutant.	Symbol (fish and tree)

US

# Safety Data Sheet acc. to OSHA HCS

Printing date	09/04/2024
---------------	------------

Revision 8

Reviewed on 09/04/2024

Trade name: EC-1850FT Blue

	(Contd. of page
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
• Hazard identification number (Kemler code): 90	
EMS Number:	F-A,S-F
Stowage Category	А
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
C C	LIQUID, N.O.S. (2,3-EPOXYPROPYL O-TOLYL ETHER
	REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN
	EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT
	700)), 9, III

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

1344-28-1 aluminium oxide

• TSCA (Toxic Substances Control Act):

All components are listed and have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 9)

# Safety Data Sheet acc. to OSHA HCS

**Revision 8** 

Reviewed on 09/04/2024

Trade name: EC-1850FT Blue

Printing date 09/04/2024

<b>TLV</b> (Threshold	1 T • •/ T 1 \
1344-28-1 alum	inium oxide A
NIOSH-Ca (Na	tional Institute for Occupational Safety and Health)
None of the ingr	
	ents The product is classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictogra	ams
$\wedge$	
GHS07 GHS	08
GIIS07 GIIS	
Signal word Wa	urning
Hazard-determ	ining components of labeling:
2,3-epoxypropyl	
	: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)
Hazard stateme	
H315 Causes ski	
H319 Causes ser	ious eye irritation.
	an allergic skin reaction.
	of causing genetic defects.
Precautionary s	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P33	8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and ea
	to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
	Dispose of contents/container in accordance with local/regional/national/international regulations.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department.
- Contact: EHS Personnel
- · Date of preparation / last revision 09/04/2024 / 7
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

IIS

# Safety Data Sheet acc. to OSHA HCS

Printing date 09/04/2024

**Revision 8** 

Reviewed on 09/04/2024

# Trade name: EC-1850FT Blue

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative	(Contd. of page 9)
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Sensitization - Skin 1: Skin sensitisation – Category 1	
Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2	
• * Data compared to the previous version altered.	